PATENT COOPERATION TRE!

PCT

RECEIVED EINGEGANGEN

26. Okt. 2005

INTERNATIONAL PRELIMINARY REPORT ON PATE

(Chapter II of the Patent Cooperation Treaty)

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference WO 41770			FOR FURTHER A	CTION	See Form PCT/IPEA/416
International application No. PCT/IB2004/002304			International filing date 16.07.2004	(day/month/year)	Priority date (day/month/year) 18.07.2003
1	mational Patent Class B20/00, F15B11/		ational classification and I	PC	-
	icant YOTA JIDOSHA	KABUSHIKI KA	NSHA et al		
1.	This report is the Authority under A	international pre Article 35 and trar	liminary examination rensmitted to the applican	port, established by that according to Article 3	als International Preliminary Examining 36.
2.	This REPORT consists of a total of 6 sheets, including this cover sheet.				
3.	This report is also accompanied by ANNEXES, comprising:				
	a. 🛭 sent to the	e applicant and to	o the International Bure	au) a total of 7 sheet	s, as follows:
	and/b	s of the description of the containing sheets containing the conta	ng rectifications authori	ngs which have been a zed by this Authority (s	amended and are the basis of this report see Rule 70.16 and Section 607 of the
*	beyor				siders contain an amendment that goes licated in item 4 of Box No. I and the
	sequence	listing and/or tab	tureau only) a total of (i bles related thereto, in o Listing (see Section 80	omputer readable forn	er of electronic carrier(s)) , containing a n only, as indicated in the Supplemental n Instructions).
4.	This report conta	ins indications re	lating to the following it	ems:	
	☑ Box No. I	Basis of the opi	nion		
	☐ Box No. II	Priority			
	☐ Box No. III	Non-establishm	ent of opinion with rega	ard to novelty, inventive	e step and industrial applicability
	☐ Box No. IV	Lack of unity of	invention		
	☑ Box No. V		ment under Article 35(2 ations and explanations		y, inventive step or industrial ment
	☐ Box No. VI	Certain docume	ents cited		•
	☐ Box No. VII		in the international app		
	☑ Box No. VIII	Certain observa	tions on the internation	al application	
Date	of submission of the	demand		Date of completion of the	nis report
20.0	01.2005			25.10.2005	
Name and mailing address of the international preliminary examining authority:				Authorized Officer	Authorite Pointer
	D-80298 M Tel. +49 89	Patent Office Iunich 9 2399 - 0 Tx: 5236 9 2399 - 4465	56 epmu d	Daieff, B	2200 7220
-	. Fax. T45 0	5 2055 - 14 05		Telephone No. +49 89	233-1223 Table 6 1 1 2 2 3 3 2 3 2 3 2 3 3 2 3 3 3 3 3 3

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/IB2004/002304

	•					
	Box No. I	Basis of the report				
1.	With regard to the language , this report is based on the international application in the language in which it was filed, unless otherwise indicated under this item.					
	☐ This re which	eport is based on translations from the original language into the following language, is the language of a translation furnished for the purposes of:				
	☐ put	ernational search (under Rules 12.3 and 23.1(b)) Dication of the international application (under Rule 12.4) ernational preliminary examination (under Rules 55.2 and/or 55.3)				
2.	With regard to the elements* of the international application, this report is based on (replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report):					
	Description	ı, Pages				
	1-14	as originally filed				
	Claims, Nu	mbers				
	1-22	filed with the demand				
	Drawings,	Sheets				
	1/4-4/4	as originally filed				
	□ a sequ	uence listing and/or any related table(s) - see Supplemental Box Relating to Sequence Listing				
3.	☐ the ☐ the ☐ the ☐ the	mendments have resulted in the cancellation of: description, pages claims, Nos. drawings, sheets/figs sequence listing (specify): y table(s) related to sequence listing (specify):				
4.	had not be Supplemer	eport has been established as if (some of) the amendments annexed to this report and listed below en made, since they have been considered to go beyond the disclosure as filed, as indicated in the ntal Box (Rule 70.2(c)). description, pages claims, Nos. drawings, sheets/figs sequence listing (specify): y table(s) related to sequence listing (specify):				
		2' and a sile of the second of the manufacture of the second of the seco				

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY

International application No. PCT/IB2004/002304

Box No. V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)

Yes: Claims

1-22

No: Claims

Inventive step (IS)

Yes: Claims

1-22

No: Claims

Industrial applicability (IA)

Yes: Claims

1-22

No: Claims

2. Citations and explanations (Rule 70.7):

see separate sheet

Box No. VIII Certain observations on the international application

The following observations on the clarity of the claims, description, and drawings or on the question whether the claims are fully supported by the description, are made:

see separate sheet

Re Item V.

- 1 The following documents are referred to in this communication:
 - D1: US 2002/121087 A1 (CASSE CHRISTOPHE LIONEL RENE ET AL) 5 September 2002 (2002-09-05)
 - Do: GB-A-2 318 426 (ULTRONICS LIMITED; ULTRA HYDRAULICS LTD (GB)) 22 April 1998 (1998-04-22)
 - D3: GB-A-2 053 419 (SINGER CO UK LTD) 4 February 1981 (1981-02-04)
 - D4: US 6 193 627 B1 (BART JOERG) 27 February 2001 (2001-02-27)
- 2 INDEPENDENT CLAIM 1
- 2.1 The document D4 is regarded as being the closest prior art to the subject-matter of claims 1 and 14, and shows (the references in parentheses applying to this document):

A hydraulic control apparatus (28) for a hydraulic servo unit (22, 23) that selectively changes an operation direction between a first direction when an oil is supplied from a first port (29) and discharged from a second port (30) and a second direction opposite to the first direction when the oil is supplied from the second port (30) and discharged from the first port (29), the hydraulic control apparatus being comprised in an toroidal type continuously variable transmission (1).

The subject-matter of claim 1 differs from this known hydraulic control apparatus of a toroidal transmission in that:

The hydraulic control apparatus comprises

- a first oil flow control valve and a second oil flow control valve each having an oil supply control portion that controls an oil supply from a pressurized oil source, and an oil discharge control portion that controls a connection with an oil discharge passage,
- a control valve operation means that controls each operation of the first and the second oil flow control valves, wherein the first port receives an oil supply from the oil supply control portion

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

International application No.

PCT/IB2004/002304

of the first oil flow control valve, and discharge the oil through the oil discharge control portion of the second oil flow control valve, wherein the second port receives an oil supply from the oil supply control portion of the second oil flow control valve, and discharge the oil through the oil discharge control portion of the first oil flow control valve, and wherein an operation state of the hydraulic servo unit is controlled by the control valve operation control means that control each operation of the first and the second oil flow control valves

The subject-matter of claims 1 and 14 (being a method of controlling the hydraulic apparatus of claim 1) is therefore new (Article 33(2) PCT).

2.2 The problem to be solved by the present invention may be regarded as to provide an improved control apparatus and method, capable of preventing the servo mechanism from losing normal control in case of malfunction.

The solution to this problem proposed in claim 1 and 14 of the present application is considered as involving an inventive step (Article 33(3) PCT) for the following reasons:

Document D1 discloses an hydraulic control apparatus for a hydraulic servo suited to use on an aircraft. The apparatus differs therefore from the one of claim 1 in that it is not comprised in a toroidal transmission. Furthermore, the combination of the hydraulic control apparatus of claim 1 with a toroidal type continuously variable transmission is also not disclosed or made obvious by the available prior art. In particular, D4 discloses such a transmission type, whereby the control apparatus is provided with only one oil flow control valve to control the operation of the hydraulic servo.

2.3 Claims 2-13 and 15-22 are respectively dependent on claims 1 and 14 and as such also meet the requirements of the PCT with respect to novelty and inventive step.

Re Item VIII.

INTERNATIONAL PRELIMINARY REPORT ON PATENTABILITY (SEPARATE SHEET)

International application No.

PCT/IB2004/002304

- 1. The application does not meet the requirements of Article 6 PCT because the wording of claims 1-3, 14, 15 and 16 is not clear.
- 1.1 In claims 1 and 14, the expression "a hydraulic servo unit comprises a toroidal type CVT" is not clear, as only the contrary makes sense. Furthermore, the expression lacks to define the functional relationship between the servo and the transmission. From the description and the drawings, it is clear that the servo is used to deflect the roller, as clearly defined in actual claim 11. Claim 1 and 14 are therefore not supported by the description as required by Article 6 PCT, as their scope is broader than justified by the description and drawings.
- 1.2 In claims 2, 3, 15 and 16 it is said that "the first (or second) oil flow control valve is only controlled by interrupting the control of the (other) valve that supplies the oil from the pressurized oil source and passes the oil into the oil discharge passage". Firstly, it is not clear how the first (or second) valve can be controlled by interrupting the control of the other valve. Secondly, when the control of the other valve is interrupted, it is not clear how this valve supplies the oil from the pressurized oil source and passes the oil into the oil discharge passage.